IN THE CLAIMS

The following is a complete listing of the claims, and replaces all earlier versions and listings.

Claims 1-22 (Cancelled)

X · · · ·

Claim 33 (currently amended) A data processing apparatus connectable to a

LAN, comprising:

an input unit, adapted to input data;

an identification unit, adapted to obtain user information about a user for whom the data inputted by said input unit was received;

a transfer unit, adapted to transfer the data inputted by said input unit to a terminal connected to the LAN; and

a generation unit, adapted to generate a predetermined signal notification, based on the user information obtained by said identification unit, to notify the user that the data has been transferred by said transfer unit, the notification including information indicating the terminal to which the data is transferred by said transfer unit.

Claim 24 (currently amended) Adata processing apparatus according to Claim 23, further comprising:

a storage unit, adapted to store information used to discriminate to which terminal the data is transferred by said transfer unit.

Claim 25 (previously presented) A data processing apparatus according to Claim 23, wherein said transfer unit transfers the data inputted by said input unit when a printer for printing the data is in an error state.

Claim 26 (currently amended) A method of controlling a data processing apparatus connectable to a LAN, comprising the steps of:

inputting data;

obtaining user information about a user for whom the data inputted in said inputting step was received;

transferring the data inputted in said inputting step to a terminal connected to the LAN; and

generating a predetermined signal notification, based on the user information obtained in said obtaining step, to notify the user that the data has been transferred in said transferring step, the notification including information indicating the terminal to which the data is transferred in said transferring step.

Claim 27 (currently amended) A computer-readable storage medium storing a program for implementing a method of controlling a data processing apparatus connectable to a LAN, wherein the method comprises the steps of:

inputting data;

obtaining user information about a user for whom the data inputted in

the inputting step was received;

transferring the data inputted in said inputting step to a terminal

connected to the LAN; and

generating a predetermined signal notification, based on the user information obtained in said obtaining step, to notify the user that the data has been transferred in said transferring step, the notification including information indicating the terminal to which the data is transferred in said transferring step.